1/6




FIG. 1





FIG. 2

FIG. 3






FIG. 4

5/6

```
<model type="CompositeProgramA">
         <interface>・・・DESCRIBE SPECIFICATIONS OF EXTERNAL TERMINAL PORTION AND ATTRIBUTE VALUE STORING PORTION
                  <terminal id="t01" name="in" type="std+" />
                           ···INDICATE THAT INPUT TERMINAL HAVING NAME OF "in" AND TYPE OF "std+" EXISTS
                  cproperty name="DBUrl" value="pc0006:DB010" />
                  cproperty name="PrnUrl" value="pc0004:lpt01" />
         <implementation>···DESCRIBE STRUCTURE OF COMPOSITE COMPONENT
                  <terminal name="in" id="t01" /> ···CORRESPONDING TO DESCRIPTION OF EXTERNAL TERMINAL PORTION OF <interface>
                  <component id="c01" name="TRANSACTION" type="TransactionType"</p>
                           constraint="COST CODE CHECK:user.CodeCheckCC" />
                  <component id="c02" name="USER PROCESSING" type="user.buhin1 />"
<component id="c03" name="DB STORAGE" type="StoreAccount" url="%DBUrl1%" />
                  <component id="c04" name="CUTFORM OUTPUT" type="PrintAccount" url="%PrnUrl1%" />
                  <connection from="t01" to="c01:in" />
                  <connection from="c01:out" to="c02:in" />
                  <connection from="c02:out" to="c03:in" />
                  <connection from="c02:ext" to="c04:in" />
        </implementation>
</model>
```

FIG. 5

72

71

FIG. 6




FIG. 7